



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/966,898	09/28/2001	Rory Van Tuyl	10011143-1

CONFIRMATION NO. 4361

FORMALITIES LETTER



OC000000006959617

AGILENT TECHNOLOGIES, INC.
Legal Department, DL429
Intellectual Property Administration
P.O. Box 7599
Loveland, CO 80537-0599

COPY OF PAPERS
ORIGINALLY FILED

Date Mailed: 10/24/2001

NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

FILED UNDER 37 CFR 1.53(b)

Filing Date Granted

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given **TWO MONTHS** from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- The oath or declaration is unsigned.
- To avoid abandonment, a late filing fee or oath or declaration surcharge as set forth in 37 CFR 1.16(l) of \$130 for a non-small entity, must be submitted with the missing items identified in this letter.
- **The balance due by applicant is \$ 130.**

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

02/20/2002 CV0111 00000008 501078 09966898

01 FC:105

130.00 CH

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

[illegible]

AGILENT TECHNOLOGIES, INC.
Legal Department, DL429
Intellectual Property Administration
P. O. Box 7599
Loveland, Colorado 80537-0599

Patent Application

Attorney Docket No. 10011143-1

IN THE
UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Rory Van Tuyl

Serial No.: 09/966,898

Examiner:

Filing Date: Sept. 28, 2001

Group Art Unit: 2631

Title: METHOD AND APPARATUS FOR TIME ALIGNING DATA MODULATORS USING
FREQUENCY DOMAIN ANALYSIS OF DETECTED OUTPUT

COMMISSIONER FOR PATENTS
Washington, D.C. 20231

TRANSMITTAL LETTER FOR SUBMITTAL OF MISSING PARTS

Sir:

This is in response to a Notice to File Missing Parts of Application under 37 CFR 1.53(f) mailed on Oct. 24, 2001. Enclosed is a copy of said Notice and the following documents and fees to complete the filing requirements of the above-identified application.

(X) Executed Declaration and Power of Attorney. The above-identified application is the same application which the inventor executed by signing the enclosed declaration.

() Statutory basic filing fee () Utility \$740.00 () Design \$330.00

() Additional claim fees of \$

(X) Missing Parts Surcharge \$130.00

() A Petition for Extension of Time for reply to Notice of Missing Parts is attached.

() one month \$110.00
() two months \$400.00
() three months \$920.00
() four months \$1440.00

Please charge to Deposit Account 50-1078 the sum of \$130.00. At any time during the pendency of this application, please charge any fees required or credit any overpayment to Deposit Account 50-1078 pursuant to 37 CFR 1.25.

(X) A duplicate copy of this transmittal letter is enclosed.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit: Dec. 18, 2001

Typed Name: Linda A. Iimura

Signature: *Linda A. Iimura*

Respectfully submitted,

Rory Van Tuyl

By

Ian Hardcastle
Ian Hardcastle

Attorney/Agent for Applicant(s)
Reg. No. 34,075


Date: Dec. 18, 2001

Telephone No.: (650) 485-3015

AGILENT TECHNOLOGIES, INC.
Legal Department, DL429
Intellectual Property Administration
P. O. Box 7599
Loveland, Colorado 80537-0599

PATENT APPLICATION

ATTORNEY DOCKET NO. 10011143-1



IN THE
UNITED STATES PATENT AND TRADEMARK OFFICE

Batch No.:

Inventor(s): Rory Van Tuyl

Serial No.: 09/966,898

Examiner:

Filing Date: Sept. 28, 2001

Group Art Unit: 2631

Title: METHOD AND APPARATUS FOR TIME ALIGNING DATA MODULATORS USING
FREQUENCY DOMAIN ANALYSIS OF DETECTED OUTPUT

OFFICIAL DRAFTSPERSON
Drawing Processing Branch
Washington, D.C. 20231

DRAWING TRANSMITTAL LETTER

Sir:

Enclosed herewith please find:

- () _____ sheets of redlined drawing(s) which indicate proposed changes to the drawing(s). Upon approval of these proposed changes, formal drawing(s) will be submitted.
- () _____ sheets of corrected formal drawing(s), as required by the Notice of Patent Drawings Objection (PTO-948) which accompanied the Office Action dated _____.
- () _____ sheets of corrected formal drawing(s), as required by the Notice of Patent Drawings Objection (PTO-948) and approved in the Notice of Allowability dated _____.
- () _____ sheets of formal drawing(s). Please substitute these formal drawing(s) for the informal drawing(s) originally filed.
- (X) 3 SHEETS OF FORMAL DRAWINGS AS REQUIRED IN THE NOTICE TO FILE MISSING PARTS DATED OCT. 24, 2001

Examiner's approval of the entry of these drawings is respectfully requested. No new matter has been added.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit: Dec. 18, 2001

Typed Name: Linda A. Iimura

Signature: Linda A. Iimura

Respectfully submitted,

Rory Van Tuyl

By

Ian Hardcastle

Attorney/Agent for Applicant(s)

Reg. No. 34,075

Date: Dec. 18, 2001

Telephone No.: (650) 485-3015